

Message

From: O'Loughlin, Connor [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D1F369DA6C9547ED90366BFB7C59510B-OLOUGHLIN,]
Sent: 3/8/2018 4:29:45 PM
To: Hirsh, Steven [Hirsh.Steven@epa.gov]
Subject: RE: Blades Groundwater - Proposed Site Inspection

Steve,

Thank you for bringing this up to Karen before the next meeting.

Ex. 5 Deliberative Process (DP)

Connor O'Loughlin P.G.
Environmental Protection Agency, Region III
Site Assessment Manager, HSCD
1650 Arch Street,
Philadelphia, PA 19103-2029
phone 215-814-3304
Cell 412-779-0444

From: Hirsh, Steven
Sent: Thursday, March 08, 2018 11:24 AM
To: O'Loughlin, Connor <oloughlin.connor@epa.gov>
Cc: Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: RE: Blades Groundwater - Proposed Site Inspection

Would this be an EPA led (conducted) SI or DE funded with a CA?

Steve

Steven Hirsh, Associate Director
Federal Facilities Remediation and Site Assessment
Hazardous Site Cleanup Division
US EPA Region III

Desk: (215) 814-3352 Cell: (215) 514-9015
hirsh.steven@epa.gov

From: O'Loughlin, Connor
Sent: Wednesday, March 07, 2018 1:57 PM
To: Hirsh, Steven <Hirsh.Steven@epa.gov>
Cc: Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: RE: Blades Groundwater - Proposed Site Inspection

Steve,

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Thank you.

Connor O'Loughlin P.G.
Environmental Protection Agency, Region III
Site Assessment Manager, HSCD
1650 Arch Street,
Philadelphia, PA 19103-2029
phone 215-814-3304
Cell 412-779-0444

From: Hirsh, Steven
Sent: Wednesday, March 07, 2018 10:14 AM
To: O'Loughlin, Connor <oloughlin.connor@epa.gov>
Cc: Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: Blades

Hi Connor,

I know we were going to discuss creation of a new site for Blades groundwater at the PAS meeting today...and that meeting is cancelled. Do you have (and maybe I already have) a proposal for what the 'new' site would include/exclude?

If so please send to me and I'll try to get Sr management buy-in rather than waiting 2-weeks. Please include a sentence on what the state thinks about Blades groundwater.

Thanks

Steve

Steven Hirsh, Associate Director
Federal Facilities Remediation and Site Assessment
Hazardous Site Cleanup Division
US EPA Region III

Desk: (215) 814-3352 Cell: (215) 514-9015

hirsh.steven@epa.gov